


THIS CHILD HAS THE FOLLOWING ALLERGIES:

Name:

DOB:



Photo

Emergency contact details:

1)






2)



Child's
Weight: Kg

How to use Emerade®



Emerade can be kept at any ambient temperature, but do not freeze. For more information and to register for a free reminder alert service, go to www.emerade-bausch.co.uk

Produced in conjunction with:



www.allergyuk.org



www.anaphylaxis.org.uk

©The British Society for Allergy & Clinical Immunology
www.bsaci.org Approved Jan 2014

Mild-moderate allergic reaction:

- Swollen lips, face or eyes
- Itchy / tingling mouth
- Hives or itchy skin rash
- Abdominal pain or vomiting
- Sudden change in behaviour

ACTION:

- Stay with the child, call for help if necessary
- Give antihistamine:
- Contact parent/carer (if vomited, can repeat dose)

Watch for signs of ANAPHYLAXIS (life-threatening allergic reaction):

- AIRWAY:** Persistent cough, hoarse voice, difficulty swallowing, swollen tongue
- BREATHING:** Difficult or noisy breathing, wheeze or persistent cough
- CONSCIOUSNESS:** Persistent dizziness / pale or floppy suddenly sleepy, collapse, unconscious

If ANY ONE of these signs are present:

1. **Lie child flat.** If breathing is difficult, allow to sit
2. **Give Emerade®**
3. **Dial 999 for an ambulance*** and say ANAPHYLAXIS ("ANA-FIL-AX-IS")

If in doubt, give Emerade®

After giving Emerade:

1. Stay with child, contact parent/carer
2. Commence CPR if there are no signs of life
3. If no improvement **after 5 minutes, give a further Emerade®** or alternative adrenaline autoinjector device, if available

*You can dial 999 from any phone, even if there is no credit left on a mobile. Medical observation in hospital is recommended after anaphylaxis.

Additional instructions:

This is a medical document that can only be completed by the patient's treating health professional and cannot be altered without their permission.

This plan has been prepared by: _____

Hospital/Clinic: _____



Date: _____